

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/709,202	04/21/2004	Hsien-Chin Chiang	WISP0048USA	3201
27765 75	590 08/05/2005		EXAMINER	
NORTH AMERICA INTERNATIONAL PATENT OFFICE (NAIPC)			BROUSSARD, COREY M	
P.O. BOX 506 MERRIFIELD,	VA 22116		ART UNIT PAPER NUMBER	
,			2835	
			DATE MAILED: 08/05/2005	5

Please find below and/or attached an Office communication concerning this application or proceeding.

			SP			
	Application No.	Applicant(s)				
	10/709,202	CHIANG ET AL.				
Office Action Summary	Examiner	Art Unit				
	Corey M. Broussard	2835				
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet wit	h the correspondence addre	ss			
A SHORTENED STATUTORY PERIOD FOR REF THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a re - If NO period for reply is specified above, the maximum statutory perions - Failure to reply within the set or extended period for reply will, by state than three months after the main earned patent term adjustment. See 37 CFR 1.704(b).	N. 1.136(a). In no event, however, may a re eply within the statutory minimum of thirty of will apply and will expire SIX (6) MON1 ute, cause the application to become AB	oply be timely filed (30) days will be considered timely. FHS from the mailing date of this common and the mailing date of this common and the mailing date.	unication.			
Status						
1) Responsive to communication(s) filed on 26	<i>May 2005</i> .					
2a)⊠ This action is FINAL . 2b)☐ Th	nis action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under	r <i>Ex parte Quayle</i> , 1935 C.D.	11, 453 O.G. 213.				
Disposition of Claims						
4) Claim(s) <u>1-17</u> is/are pending in the application	on.					
4a) Of the above claim(s) is/are withd	rawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-17</u> is/are rejected.						
7) Claim(s) is/are objected to.	u a la alta da					
8) Claim(s) are subject to restriction and	i/or election requirement.					
Application Papers						
9) The specification is objected to by the Exami						
10)⊠ The drawing(s) filed on <u>21 April 2004</u> is/are:		•				
Applicant may not request that any objection to the			4.4047.10			
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the		<i>'</i>	, ,			
	Examiner. Note the attached	Office Action of form F 10-	132.			
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:		119(a)-(d) or (f).				
1. Certified copies of the priority docume2. Certified copies of the priority docume		onlication No				
3. Copies of the certified copies of the pr	·		age			
application from the International Bure	·		.5.			
* See the attached detailed Office action for a li		received.	į			
Attachment(s)						
1) Notice of References Cited (PTO-892)		ummary (PTO-413)				
 Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0)/Mail Date formal Patent Application (PTO-15	52)			
Paper No(s)/Mail Date	6) 🔲 Other:	<u>_</u> .				

Application/Control Number: 10/709,202 Page 2

Art Unit: 2835

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kitlas et al in view of Marquis et al. (PN 6,113,485). With respect to claim 1, Kitlas teaches a cooling module of a computer system comprising: a fan module (12) with an air inlet and an air outlet, capable of drawing air into the air inlet and exhausting air from the air outlet (see Fig. 10, air flows 104, 106); a heat sink module (14) with an air inlet (15), an air outlet (17), and a heat conduction part (col 3, lines 8-10 disclose cooling fins within 16); the heat conduction part being between the air inlet and the air outlet, the air outlet connecting to the air inlet of the fan module (see Fig. 1), the heat conduction part stacked onto a circuit of the computer system (14 is a CPU module that contains a CPU and fins that must inherently be stacked upon the CPU to function, col 3 lines 8-10); the heat sink module allowing air to be drawn into the air inlet and through the heat conduction part and exhausted from the air outlet; and an air wall (11) between the air inlet of the fan module and air inlet of the heat sink module for isolating airflow from the air inlet of the heat sink module, so that heated air

from the air outlet of the fan module is prevented from flowing into the air inlet of the heat sink module (see Fig. 10). Kitlas lacks where the air wall prevents heated air from the air outlet of the heat sink module from flowing into the air inlet of the fan module and where the fan module is stacked onto the heat sink module. Marquis teaches wherein a fan module (60) is stacked onto a heat sink module (16) with an air wall isolating airflow from the air outlet of the heat sink module to the air inlet of the fan module (see Fig. 13). It would have been obvious to a person or ordinary skill in the art to combine the duct CPU cooling system of Marquis with the shroud attachment CPU cooling system of Kitlas for the benefit of having fresh cooler air pass through the heat conduction part instead of air already warmed by the other components in the case thereby improving the CPU cooling ability of the device.

3. With respect to claim 2, Kitlas teaches wherein the air wall (11) further comprises an approach (52); one end of the approach connecting to the air inlet of the fan module (12) while another end connects to the air outlet (17) of the heat sink module (14, see Fig. 1, 2). Kitlas lacks where the approach is connecting the air outlet of the fan module to the air inlet of the heat sink module. It has been held that a mere reversal of the essential working parts of a device involves only routine skill in the art. In re Gazda 104 USPQ 400 (CCPA 1955) It would have been obvious to a person or ordinary skill in the art to reverse the fan module so that air was drawn into the case and into the CPU module at element 17 for the benefit of having fresh cooler air pass through the heat conduction part instead of air already warmed by the other components in the case thereby improving the CPU cooling ability of the device.

- 4. With respect to claim 3, Kitlas teaches wherein the computer system and the cooling module (10) are disposed within a case (24, see Fig. 1).
- 5. With respect to claim 4, Kitlas teaches a brace (13) in the case; the air wall (11) being fixed to the brace (see Fig. 2).
- 6. With respect to claim 5, Kitlas teaches wherein a support device (18) of the computer system is capable of being fixed to the brace (via 20, 22, see col 3, lines 66-67 and col 4 lines 1-2).
- 7. With respect to claim 6, Kitlas teaches wherein the air wall (11) comprises at least one connection end while the brace (13) comprises a corresponding connection end; the connection end of the air wall capable of plugging into the connection end of the brace (see Fig. 4).
- 8. With respect to claim 7, Kitlas teaches wherein the air wall divides the case into a first room and a second room (see Fig. 10, the area contained by 14 and 11 make up the first room, and the remaining area contained in the case 24 is the second room), so that the fan module (12) draws air into the first room, and the heat sink module (14) exhausts air from the second room. Kitlas lacks where the heat sink module exhausts air into the second room. It has been held that a mere reversal of the essential working parts of a device involves only routine skill in the art. In re Gazda 104 USPQ 400 (CCPA 1955) It would have been obvious to a person or ordinary skill in the art to reverse the fan module so that air was drawn into the case and into the CPU module at element 17 for the benefit of having fresh cooler air pass through the heat conduction

part instead of air already warmed by the other components in the case thereby improving the CPU cooling ability of the device.

- 9. With respect to claim 8, Kitlas teaches a second fan module (90) in the case (24) for drawing air provided into the second room from outside the case. Kitlas lacks where the second fan module exhausts air outside of the case. It has been held that a mere reversal of the essential working parts of a device involves only routine skill in the art. In re Gazda 104 USPQ 400 (CCPA 1955) It would have been obvious to a person or ordinary skill in the art to reverse the fan module so that air was drawn into the case and into the CPU module at element 17 for the benefit of having fresh cooler air pass through the heat conduction part instead of air already warmed by the other components in the case thereby improving the CPU cooling ability of the device.
- 10. With respect to claim 9, Kitlas teaches wherein the heat conduction part is connected to a central processing unit of the computer system (see col 3, lines 8-10).
- 11. With respect to claim 10, Kitlas teaches a case (24); a circuit for controlling operations of the computer system (CPU circuit is inside 14 see col 3, lines 8-10); and a cooling module (10) in the case comprising: a fan module (12) with an air inlet and an air outlet, capable of drawing air into the air inlet and exhausting air from the air outlet (see Fig. 10); a heat sink module (14) with an air inlet (15), an air outlet (17), and a heat conduction part (col 3, lines 8-10 disclose cooling fins within 16); the heat conduction part being between the air inlet and the air outlet, the air outlet connecting to the air inlet of the fan module, the heat conduction part stacked onto a circuit of the computer system (14 is a CPU module that contains a CPU and fins that must inherently be

stacked upon the CPU to function, col 3 lines 8-10); air is drawn into the air inlet of the heat sink module and through the heat conduction part and exhausted from the air outlet; and an air wall (11) between the air inlet of the fan module and the air inlet of the heat sink module for isolating air flow from the air inlet of the heat sink module to the air outlet of the fan module, so that heated air from the air outlet of the fan module is prevented from flowing into the air inlet of the heat sink module. Kitlas lacks where air from the outlet of the heat sink module is prevented from flowing into the air inlet of the fan module and where the fan module is stacked onto the heat sink module. Marquis teaches wherein a fan module (60) is stacked onto a heat sink module (16) with an air wall isolating airflow from the air outlet of the heat sink module to the air inlet of the fan module (see Fig. 13). It would have been obvious to a person or ordinary skill in the art to combine the duct CPU cooling system of Marquis with the shroud attachment CPU cooling system of Kitlas for the benefit of having fresh cooler air pass through the heat conduction part instead of air already warmed by the other components in the case thereby improving the CPU cooling ability of the device.

12. With respect to claim 11, Kitlas teaches wherein the air wall (11) further comprises an approach (52); one end of the approach connecting to the air inlet of the fan module while another end connects to the air outlet of the heat sink module (see Fig. 1, 2). Kitlas lacks where the approach connects the air outlet of the fan module to the air inlet of the heat sink module. It has been held that a mere reversal of the essential working parts of a device involves only routine skill in the art. In re Gazda 104 USPQ 400 (CCPA 1955) It would have been obvious to a person or ordinary skill in the

art to reverse the fan module so that air was drawn into the case and into the CPU module at element 17 for the benefit of having fresh cooler air pass through the heat conduction part instead of air already warmed by the other components in the case thereby improving the CPU cooling ability of the device.

- 13. With respect to claim 12, Kitlas teaches a brace (13) in the case (24); the air wall (11) being fixed to the brace (see Fig. 1-4).
- 14. With respect to claim 13, Kitlas teaches a support device (18) fixed to the brace (13) for supporting operations of the computer system.
- 15. With respect to claim 14, Kitlas teaches wherein the air wall (11) comprises at least one connection end while the brace (13) comprises a corresponding connection end; the connection end of the air wall capable of plugging into the connection end of the brace (see Fig. 4).
- 16. With respect to claim 15, Kitlas teaches wherein the air wall (11) divides the case into a first room and a second room (see Fig. 10, the area contained by 14 and 11 make up the first room, and the remaining area contained in the case 24 is the second room), so that the fan module (12) draws air into the first room, and the heat sink module (14) exhausts air from the second room. Kitlas lacks where the heat sink module exhausts air into the second room. It has been held that a mere reversal of the essential working parts of a device involves only routine skill in the art. In re Gazda 104 USPQ 400 (CCPA 1955) It would have been obvious to a person or ordinary skill in the art to reverse the fan module so that air was drawn into the case and into the CPU module at element 17 for the benefit of having fresh cooler air pass through the heat conduction

Application/Control Number: 10/709,202 Page 8

Art Unit: 2835

part instead of air already warmed by the other components in the case thereby improving the CPU cooling ability of the device.

- 17. With respect to claim 16, Kitlas teaches a second fan module (90) in the case (24) for drawing air provided into the second room from outside the case. Kitlas lacks where the second fan module exhausts air outside of the case. It has been held that a mere reversal of the essential working parts of a device involves only routine skill in the art. In re Gazda 104 USPQ 400 (CCPA 1955) It would have been obvious to a person or ordinary skill in the art to reverse the fan module so that air was drawn into the case and into the CPU module at element 17 for the benefit of having fresh cooler air pass through the heat conduction part instead of air already warmed by the other components in the case thereby improving the CPU cooling ability of the device.
- 18. With respect to claim 17, Kitlas teaches wherein the circuit (circuit inside 14) is a central processing unit of the computer system (see col 3, lines 8-10).

Response to Arguments

19. Applicant's arguments with respect to claims 1-17 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

20. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Lofland et al. (PN 6,130,819) demonstrating the conventionality of stacked fan and heat sink modules used with air walls.

Application/Control Number: 10/709,202

Art Unit: 2835

CFR 1.136(a).

21. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37

Page 9

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Corey M. Broussard whose telephone number is 571 272 2799. The examiner can normally be reached on 7:30-5 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynn Feild can be reached on 571 272 2092. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/709,202 Page 10

Art Unit: 2835

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

C M/B cmb

ANATOLY VORTMAN
PRIMARY EXAMINER